

BEYOND RETRO

Inspired by the past - designed for the future, Kährs Beyond Retro collection celebrates a milestone in the parquet history, the innovation of the engineered multi-layer parquet flooring +80 years ago. A collection of silky, soft muted colors, all with a warm, deep, velvety and ultra-matt expression. Retro style interior design has a nostalgic feature which is reflected in the color palette of this collection!

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	151N9AEKN4KW200	Wood Species	Oak	Moisture	EN13183	7%±2%
EAN Code	7393969048286	Design	1-strip	content		
Surface treatment	Ultra matt lacquer The appearance of the matte surface may vary due to different light sources and angles.	Grading	Dynamic	Minimun Mean Density kg/m ³		>500 kg/m³
		Range	Kährs Original	Reaction To Fire	EN13501-1	Dfl-s1
		Collection	Beyond Retro Collection	Formaldehyde Emission	EN717-1	E1
Design features	Brushed, Microbevelled 4-sided	Resandable	2-3 times			
		Natural/Stained	Stained	Content PCP	CEN/TR14823	≤ 5 x 10-6n
Dimensions	187 x 2000 mm	Brinell Value	3,7	Breaking Strength N/mm ²	EN1533	NPD
Weight per Package	18.256 kg	Joint	Woodloc® 5S			
Area per Package	2.24 m ²	Floor heating	Yes	Thermal Conductivity	EN12664	0,14 W/mK
Area per pallet	100.8 m ²	Warranty	30 years			
Package info	Packages may contain start and stop boards.	Wear-layer material	Hardwood	Thermal Resistance R-Value		.11 (m2K/W)
		Wear Layer Thickness	3.5 mm	Biological Durability	EN350-2	Class 1
DETAIL DESCRIPTION		Core material	Pine/Spruce/Alder	CARB2		Compliant
All naturally occuring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes large sound and black knots, fillings and cracks. Knots, fillings and cracks will be present in all sizes and numbers.		Backside material	Spruce Veneer	Slipperiness CEN/TS15676	•	
		Thickness	15 mm		CEN/1919070	
		Installation method	Floating, Glue-down			
		Surface Colour	Light white			
		LRV	44			

COLOUR CHANGE

Stained product - noticeable color change over time.

