

# SPARTA | PLANK

EVC | 8.0 MM, 20 MIL | 7" X 48"





## **ANTI-MICROBIAL COATING**

The Anti-Microbial Polyurethane finish coat gives a >99.9% reduction of bacteria, tested in accordance with ASTM E2180-18.



## **DURRABILE** WEAR RESISTANCE

20 mil wear layer with Armor Guard water protection and scratch\scuff resistance.



## **SOUND** ABATEMENT PAD

The attached Premium Acoustical Pad provides sound-dampening properties in addition to the floor/ceiling assembly.



## **BLOCK-AID** CORE

Protects your floor from changes due to temperature and adds to the floors durability.

## TRIMS & TRANSITIONS

- T-Mold
- Endcap
- Reducer
- Stair Nose
- Quarter Round

QNose Stair Nosing is made from the same product as your flooring selection, ensuring it will match your installed floors.









AMERICAN WALNUT
EVC ENGINEERED VINYL CORE


TPWP0412 8.0 MM | 20 MIL





\*BAYSIDE EVC ENGINEERED VINYL CORE

TPWP0409 8.0 MM | 20 MIL





CANYON HILLS
EVC ENGINEERED VINYL CORE


TPWP0405 8.0 MM | 20 MIL





CYPRUS
EVC ENGINEERED VINYL CORE

TPWP0401 8.0 MM | 20 MIL





FLASK
EVC ENGINEERED VINYL CORE

TPWP0406 8.0 MM | 20 MIL





IRONWOOD
EVC ENGINEERED VINYL CORE

TPWP0403 8.0 MM | 20 MIL





NATURAL ACACIA EVC ENGINEERED VINYL CORE

TPWP0411 8.0 MM | 20 MIL





NORDIC OAK EVC ENGINEERED VINYL CORE

TPWP0414 8.0 MM | 20 MIL





NORTHERN PINE EVC ENGINEERED VINYL CORE

TPWP0404 8.0 MM | 20 MIL





OCEAN VIEW
EVC ENGINEERED VINYL CORE

TPWP0410 8.0 MM | 20 MIL





\*PILCHUCK EVC ENGINEERED VINYL CORE

TPWP0407 8.0 MM | 20 MIL





SCANDINAVIAN OAK
EVC ENGINEERED VINYL CORE

TPWP0413 8.0 MM | 20 MIL





\*STONEHENGE EVC ENGINEERED VINYL CORE


TPWP0408 8.0 MM | 20 MIL





TIMBERLINE
EVC ENGINEERED VINYL CORE

TPWP0402 8.0 MM | 20 MIL





**VENTURA**EVC ENGINEERED VINYL CORE

TPWP0425 8.0 MM | 20 MIL





TORRANCE
EVC ENGINEERED VINYL CORE


TPWP0426 8.0 MM | 20 MIL





SOJOURN EVC ENGINEERED VINYL CORE

TPWP0427 8.0 MM | 20 MIL





MCKENNA EVC ENGINEERED VINYL CORE

TPWP0428 8.0 MM | 20 MIL






**DISTINCTIVE**EVC ENGINEERED VINYL CORE

TPWP0429 8.0 MM | 20 MIL

## **SPARTA**

## EVC | 8.0 MM, 20 MIL

Construction	Premium Engineered Vinyl Core Plank		
Classification	ASTM F3261, Class 1, Type B, Grade 1, Class B		
Dimensions	Plank: 7" Wide x 48" Long   Tile: 12" Wide x 24" Long		
Overall Thickness	8.0 mm (Includes 1.5mm Premium Pad)		
Attached Pad	1.5 mm Premium Pad		
Wear Layer	20 mil		
Finish Coat	Anti-Microbial   Anti-Scratch		
Texture	Embossed		
Edge Profile	Plank: Micro Bevel   Tile: Painted Bevel		
Packaging	19.375 sf/ctn - 66 ctn/ptl - 1278.8 sf/plt		



Angle/Angle

Expansion & Transition: 1/4" Expansion required at perimeter and at all vertical surfaces. Transition required for rooms larger than  $50' \text{ W} \times 50' \text{ L}$ .

Ambient & Surface Temperature at Installation: 60 - 85 Degrees Fahrenheit

Maintenance: No Polish, Fresh Floors by Taylor

Test Method & Requirements			
Resilient Floor in Modular Format	ASTM F3261	Pass	
Thickness (with Pad)	ASTM F386/ (387)	Pass	
Wear Layer Thickness	ASTM F410	Pass	
Stain/Chemical Resistance	ASTM F925	Pass	
Resistance to Heat Color Change	ASTM F1514	Pass	
Resistance to Light Color Change	ASTM F1515	Pass	
Residual Indentation	ASTM F1914	Pass	
Size & Squareness	ASTM F2055	Pass	
Dimensional Stability w/Exposure to Heat	ASTM F2199	Pass	
Dimensional Stability w/Exposure to Heat	ISO 23999	Pass	
Determination of Geometrical Characteristics	ISO 24337	Pass	
Static Coefficient of Friction Polished Surface	ASTM D2047	Exceeds Standard	
Static Load Limit	ASTM F970	Pass > 250 LBS	
Flammability/Radiant Flux	ASTM E648	Class I	
Smoke Density	ASTM E662	Pass	
Impact Insulation Class IIC	ASTM E492*		
Sound Transmission Class STC	ASTM E90*		
*The flooring assembly dictates IIC STC HIIC and Low IIC results: contact your			

The flooring assembly dictates IIC, STC, HIIC, and Low IIC results; contact your

FloorScore SCS Certified


**7**SCScertified











#### Warranty

10 Year Light Commercial, 10 Year Multi-Family, Lifetime Residential.

### Accessories

Trims: T Mold, Reducer, End Cap, Stair Nose, Quarter Round **QNose** Stair Nosing

